1996 INDEX

10-Gb/s transmission experiment **1**, 147
16-carrierless-amplitude phase-modulation (CAP) transceiver **1**, 100, 111-113
5ESS® switch **1**, 86
5ESS®-2000 switch **1**, 71, 131, 134 **2**, 9
9-1-1 service, current status: industry actions **2**, 191-192; wireless service operation **2**, 190; wireless service issues **2**, 190-191; wireline service operation **2**, 189-190

A

Access architecture: evolution **1**, 80-83; asynchronous transfer mode (ATM), adding **1**, 81-82; current **1**, 80-81; integration with residential access **1**, 86; operations and maintenance, integrated access **1**, 86; protecting ATM services **1**, 82-83; pure ATM ring **1**, 85; service node/server support **1**, 86; vision **1**, 83-87; wireless/wireline access integration **1**, 85
Access interfaces: downstream **1**, 96; narrowband **1**, 96; radio-frequency (RF) upstream **1**, 96
Access trends: architectural **1**, 3-10, 78-87; business customers **1**, 78-87; technological **1**, 3-10; transport **1**, 78-87
ADAPt *see* Adaptive Digital Access Protocol
ADAPt+ *see* Adaptive Digital Access Protocol+
Adaptive Digital Access Protocol (ADAPt) medium access control (MAC) **1**, 95
Adaptive Digital Access Protocol+ (ADAPt+): downstream frame structure and operation **1**, 52-58; MAC operation **1**, 61-63; operation and key design considerations **1**, 41-52, 94-95; performance and capacity analysis **1**, 63-64; service requirements and protocol implications **1**, 38-40; upstream frame and PDU structures **1**, 59-61
ADSL *see* Asymmetrical digital subscriber line
Advanced Intelligent Network **1**, 86
Advanced Mobile Phone Service (AMPS) **1**, 13 **2**, 127
Advanced Services Operating System (ASOS) **1**, 29, 32
AFOF *see* Average fix-on-fix
Agrawal, Prathima **2**, 97-110
Alegria, Carlos A. **1**, 78-87
America Online* services **1**, 89
American National Standards Institute (ANSI): integrated services digital network (ISDN) standard **1**, 101; T1.413 asymmetric digital subscriber line (ADSL) **1**, 101
AMPS *see* Advanced Mobile Phone System
ANSI *see* American National Standards Institute
Anvekar, Dinesh K. **2**, 97-110
Appletalk* protocol **1**, 95
Aprille, Thomas J. **1**, 11-27
Architectural and Technological Trends in Access: An Overview **1**, 3-10
ARDIS* wireless data service **1**, 120
ARQ *see* Automatic repeat request
ASDL *see* Asymmetrical digital subscriber line
ASOS see Advanced Services Operating System
Association of German Electrical Engineers (VDE) markings **2**, 19
Asymmetrical digital subscriber line (ADSL): broadband transport services, architectures for **1**, 4-7, 66-67; general **1**, 19
Asynchronous Transfer Mode (ATM) Forum **2**, 143
Asynchronous transfer mode (ATM) switch: Fore Systems Forerunner* ASX-200 **2**, 137; Forerunner SBA-200 ATM adapter cards **2**, 137
Asynchronous transfer mode (ATM): add/drop multiplexer (ADM) **1**, 85; digital video server output **1**, 12; flow control **1**, 80; integrated transport technology **1**, 79-80; integration **1**, 80; ring architecture, pure **1**, 84-85; services **1**, 5-6; transport over SDV network **1**, 67-74, 76; virtual path protection **1**, 82
ATM *see* Asynchronous transfer mode
Automatic repeat request scheme (ARQ) **2**, 112, 115-116
Automatic route selection **1**, 80
Average fix-on-fix (AFOF) **1**, 131
Ayanoglu, Ender **2**, 5, 143-164

B

B-ISDN *see* Broadband integrated services digital network
Bad fix (BF) **1**, 130-131
BAHAMA *see* Broadband adaptive homing asynchronous transfer mode (ATM) architecture
Bandwidth: allocation, dynamic **1**, 31; asymmetric **1**, 5; symmetric **1**, 5; conservation **1**, 25
Bankapur, Rang J. **1**, 66-77
Bar-David, Israel **2**, 4, 21-40
Barker code position modulation (BCPM): description **2**, 21-22; format **2**, 22-24; intersymbol effects **2**, 25-26; optimum receiver and reduced complexity alternatives **2**, 26-36; performance results **2**, 36-39
Barker Code Position Modulation for High-Rate Communication in the ISM Bands **2**, 21-40
Baudot coding **1**, 3
BBT *see* Broadband Technologies
BCPM *see* Barker code position modulation
BDSL *see* Broadband asynchronous digital subscriber line
Bell Labs Innovation Briefs **1**, 146-147 **2**, 216-217
Bell Labs Research **2**, 127
Beuscher, Hugh J. **1**, 66-77
BF *see* Bad fix
Bidirectional (two-way) communication **1**, 89
Binary phase shift keying (BPSK) **2**, 116
BPSK *see* Binary phase shift keying
Broadband access systems: bus-connected architecture **1**, 100-101; copper **1**, 101; digital subscriber line (DSL) **1**, 19-12; fiber to the curb (FTTC) **1**, 100-114; home, on copper **1**, 100-114; hybrid fiber-coax (HFC) **1**, 19, 21-22, 100; networks, two-way **1**, 6, 8; overview **1**, 100-102; passive optical networks (PONs) **1**, 19, 23-24, 100-101; power line **1**, 101-102; service, HFC-2000™ **1**, 28-35; star-connected architecture **1**, 100-101; switched digital video **1**, 19, 22-23; wireless **1**, 19, 24-25, 100-101
Broadband Access to the Home on Copper **1**, 100-114
Broadband adaptive homing asynchronous transfer mode (ATM) architecture (BAHAMA) local area network (LAN) **2**, 145-146
Broadband asynchronous digital subscriber line (ADSL) **1**, 66
Broadband data applications **1**, 5
Broadband digital communications **1**, 3-10
Broadband integrated access **1**, 78
Broadband integrated services digital network (B-ISDN) **2**, 129
Broadband Multiple Access Protocol for STM, ATM, and Variable Length Data Services on Hybrid Fiber-Coax Netwotks, A **1**, 36-67
Broadband services: asymmetrical digital subscriber line (ADSL) **1**, 4-7; bidirectional network architecture **1**, 33; broadband access networks, two-way **1**, 6; business premises, access **1**, 6; digital broadcast satellite (DBS) **1**, 4, 6; digital subscriber line (DSL) **1**, 5; downstream signal path **1**, 12; entertainment **1**, 6; general **1**, 3-10; hybrid fiber-coax (HFC) **1**, 4, 6-9, 28-35; multichannel multipoint distribution service (MMDS) **1**, 4, 6; plain old telephone service (POTS) **1**, 11-13; residence, access **1**, 6; switched digital video (SDV) **1**, 4, 6-7, 9; upstream signal path **1**, 12; wireless technologies **1**, 7-9

1996 INDEX

10-Gb/s transmission experiment **1**, 147
16-carrierless-amplitude phase-modulation (CAP) transceiver **1**, 100, 111-113
5ESS® switch **1**, 86
5ESS®-2000 switch **1**, 71, 131, 134 **2**, 9
9-1-1 service, current status: industry actions **2**, 191-192; wireless service operation **2**, 190; wireless service issues **2**, 190-191; wireline service operation **2**, 189-190

A

Access architecture: evolution **1**, 80-83; asynchronous transfer mode (ATM), adding **1**, 81-82; current **1**, 80-81; integration with residential access **1**, 86; operations and maintenance, integrated access **1**, 86; protecting ATM services **1**, 82-83; pure ATM ring **1**, 85; service node/server support **1**, 86; vision **1**, 83-87; wireless/wireline access integration **1**, 85
Access interfaces: downstream **1**, 96; narrowband **1**, 96; radio-frequency (RF) upstream **1**, 96
Access trends: architectural **1**, 3-10, 78-87; business customers **1**, 78-87; technological **1**, 3-10; transport **1**, 78-87
ADAPt *see* Adaptive Digital Access Protocol
ADAPt+ *see* Adaptive Digital Access Protocol+
Adaptive Digital Access Protocol (ADAPt) medium access control (MAC) **1**, 95
Adaptive Digital Access Protocol+ (ADAPt+): downstream frame structure and operation **1**, 52-58; MAC operation **1**, 61-63; operation and key design considerations **1**, 41-52, 94-95; performance and capacity analysis **1**, 63-64; service requirements and protocol implications **1**, 38-40; upstream frame and PDU structures **1**, 59-61
ADSL *see* Asymmetrical digital subscriber line
Advanced Intelligent Network **1**, 86
Advanced Mobile Phone Service (AMPS) **1**, 13 **2**, 127
Advanced Services Operating System (ASOS) **1**, 29, 32
AFOF *see* Average fix-on-fix
Agrawal, Prathima **2**, 97-110
Alegria, Carlos A. **1**, 78-87
America Online* services **1**, 89
American National Standards Institute (ANSI): integrated services digital network (ISDN) standard **1**, 101; T1.413 asymmetric digital subscriber line (ADSL) **1**, 101
AMPS *see* Advanced Mobile Phone System
ANSI *see* American National Standards Institute
Anvekar, Dinesh K. **2**, 97-110
Appletalk* protocol **1**, 95
Aprille, Thomas J. **1**, 11-27
Architectural and Technological Trends in Access: An Overview **1**, 3-10
ARDIS* wireless data service **1**, 120
ARQ *see* Automatic repeat request
ASDL *see* Asymmetrical digital subscriber line
ASOS see Advanced Services Operating System
Association of German Electrical Engineers (VDE) markings **2**, 19
Asymmetrical digital subscriber line (ADSL): broadband transport services, architectures for **1**, 4-7, 66-67; general **1**, 19
Asynchronous Transfer Mode (ATM) Forum **2**, 143
Asynchronous transfer mode (ATM) switch: Fore Systems Forerunner* ASX-200 **2**, 137; Forerunner SBA-200 ATM adapter cards **2**, 137
Asynchronous transfer mode (ATM): add/drop multiplexer (ADM) **1**, 85; digital video server output **1**, 12; flow control **1**, 80; integrated transport technology **1**, 79-80; integration **1**, 80; ring architecture, pure **1**, 84-85; services **1**, 5-6; transport over SDV network **1**, 67-74, 76; virtual path protection **1**, 82
ATM *see* Asynchronous transfer mode
Automatic repeat request scheme (ARQ) **2**, 112, 115-116
Automatic route selection **1**, 80
Average fix-on-fix (AFOF) **1**, 131
Ayanoglu, Ender **2**, 5, 143-164

B

B-ISDN *see* Broadband integrated services digital network
Bad fix (BF) **1**, 130-131
BAHAMA *see* Broadband adaptive homing asynchronous transfer mode (ATM) architecture
Bandwidth: allocation, dynamic **1**, 31; asymmetric **1**, 5; symmetric **1**, 5; conservation **1**, 25
Bankapur, Rang J. **1**, 66-77
Bar-David, Israel **2**, 4, 21-40
Barker code position modulation (BCPM): description **2**, 21-22; format **2**, 22-24; intersymbol effects **2**, 25-26; optimum receiver and reduced complexity alternatives **2**, 26-36; performance results **2**, 36-39
Barker Code Position Modulation for High-Rate Communication in the ISM Bands **2**, 21-40
Baudot coding **1**, 3
BBT *see* Broadband Technologies
BCPM *see* Barker code position modulation
BDSL *see* Broadband asynchronous digital subscriber line
Bell Labs Innovation Briefs **1**, 146-147 **2**, 216-217
Bell Labs Research **2**, 127
Beuscher, Hugh J. **1**, 66-77
BF *see* Bad fix
Bidirectional (two-way) communication **1**, 89
Binary phase shift keying (BPSK) **2**, 116
BPSK *see* Binary phase shift keying
Broadband access systems: bus-connected architecture **1**, 100-101; copper **1**, 101; digital subscriber line (DSL) **1**, 19-12; fiber to the curb (FTTC) **1**, 100-114; home, on copper **1**, 100-114; hybrid fiber-coax (HFC) **1**, 19, 21-22, 100; networks, two-way **1**, 6, 8; overview **1**, 100-102; passive optical networks (PONs) **1**, 19, 23-24, 100-101; power line **1**, 101-102; service, HFC-2000™ **1**, 28-35; star-connected architecture **1**, 100-101; switched digital video **1**, 19, 22-23; wireless **1**, 19, 24-25, 100-101
Broadband Access to the Home on Copper **1**, 100-114
Broadband adaptive homing asynchronous transfer mode (ATM) architecture (BAHAMA) local area network (LAN) **2**, 145-146
Broadband asynchronous digital subscriber line (ADSL) **1**, 66
Broadband data applications **1**, 5
Broadband digital communications **1**, 3-10
Broadband integrated access **1**, 78
Broadband integrated services digital network (B-ISDN) **2**, 129
Broadband Multiple Access Protocol for STM, ATM, and Variable Length Data Services on Hybrid Fiber-Coax Netwotks, A **1**, 36-67
Broadband services: asymmetrical digital subscriber line (ADSL) **1**, 4-7; bidirectional network architecture **1**, 33; broadband access networks, two-way **1**, 6; business premises, access **1**, 6; digital broadcast satellite (DBS) **1**, 4, 6; digital subscriber line (DSL) **1**, 5; downstream signal path **1**, 12; entertainment **1**, 6; general **1**, 3-10; hybrid fiber-coax (HFC) **1**, 4, 6-9, 28-35; multichannel multipoint distribution service (MMDS) **1**, 4, 6; plain old telephone service (POTS) **1**, 11-13; residence, access **1**, 6; switched digital video (SDV) **1**, 4, 6-7, 9; upstream signal path **1**, 12; wireless technologies **1**, 7-9

Broadband Technologies (BBT), network element provider **1**, 71
Broadband technologies, wireless: future impact **1**, 8-9; general **1**, 4, 7
Broadband transport services, architectures for: asynchronous digital subscriber line (ADSL) **1**, 66; broadband asynchronous digital subscriber line (BDSL) **1**, 66; hybrid fiber-coax **1**, 66; switched digital video **1**, 66-67
Broadcast cable television (CATV) channels **1**, 29
Business Communications Systems, Lucent Technologies **2**, 165-171
Business customers, current trends in access and transport architectures **1**, 78-87

C

Cable modems **1**, 22
Cable television (CATV) spectrum plan: data rates **1**, 91; downstream data channels **1**, 91-92; plain old telephone service (POTS) for upstream communication **1**, 92-93; radio-frequency (RF) upstream communication channels **1**, 92
Cable television (CATV): analog services **1**, 31; broadband services **1**, 12; broadcast channels **1**, 30; cable modems **1**, 5; distribution systems **1**, 4; services **1**, 6; hybrid fiber-coax (HFC) spectrum plan **1**, 91
Call processing architecture: key ideas **2**, 131-132; wireless distributed call processing architecture (W-DCPA) **2**, 132-135
Call processing software **2**, 127-142
CAP see Carrierless-amplitude phase modulation
Carpenter, Jerry R. **2**, 165-171
Carrierless-amplitude phase-modulation (CAP) transceiver, 16 **1**, 100
CATV *see* cable television
CDMA *see* Code division multiple access
CDPD *see* Cellular digital packet data
Cellular digital packet data (CDPD) service **2**, 127
Cellular model and handover framework: handover failures **2**, 98; handover regions **2**, 98
Cellular network channel management policies: adaptive traffic-driven reservation **2**, 97; channel allocation **2**, 97; handover failure probability **2**, 97; handovers **2**, 97; new calls **2**, 97; nonreserving **2**, 99-105; reservation based **2**, 105-108
Cellular networks **2**, 127
Cellular systems: standards **1**, 25
Cellular Telecommunications Industry Association **1**, 120
Channel Management Policies for Handovers in Cellular Networks **2**, 97-110
Channel management policies, cellular networks: adaptive traffic-driven reservation **2**, 97; channel allocation **2**, 97; conclusions **2**, 108-109; handover failure probability **2**, 97; handovers **2**, 97; new calls **2**, 97; nonreserving **2**, 97; reservation based **2**, 97; static guard **2**, 97
Christenson, Dennis A. **1**, 130-137
Class 5 switch **1**, 71
CMIP *see* Common management information protocol
CMOS devices **2**, 217
Code division multiple access (CDMA) **1**, 13
Common Channel Signaling System 7 (SS7) **2**, 12
Common management information protocol (CMIP) **1**, 86
Common object request broker architecture (CORBA) **2**, 140
CompuServe* services **1**, 89
Computer processors: memory, cost **1**, 3; price performance **1**, 3
Conference of European Postal and Telecommunications Administrations (CEPT), carrier facilities **2**, 9
Coplien, James O. **1**, 138-145
Copper wiring, for broadband services **1**, 100-114
CORBA *see* Common object request broker architecture
Cordless product, business, designing **2**, 165
Cordless systems **1**, 25
Cordless Telephone 2 (CT2) **2**, 167-168
CRC *see* Cyclic redundancy code
CTIA *see* Cellular Telecommunications Industry Association
Current Trends in Access and Transport Architectures for Business Customers **1**, 78-87
Customer requirements, architectural approaches **1**, 78-87
Cyclic redundancy code (CRC) **2**, 115

D

DACS *see* Digital Access Cross Connect System
Data analysis, software: communication intensity ratio **1**, 141; communication saturation **1**, 140; individual roles and communication **1**, 141-142; producer roles **1**, 141
Data point of presence (POP): general **1**, 95-96; other facilities **1**, 97; security **1**, 96-97
Data visualization system **2**, 217
DAVIC *see* Digital Audio Visual Council
DBS *see* Digital broadcast satellite
DBV *see* Digital broadcast video
DCPA *see* Distributed call processing architecture
DCS *see* Digital Cellular System
DDM-2000 product **1**, 81
DDM: circuit protection **1**, 81; rings **1**, 81
DECT *see* Digital European Cordless Telecommunications
DEFINITY® Enterprise Communication Server **2**, 165-171
DEFINITY® G3V5 system, remote dial-in support **2**, 170
DEFINITY® Wireless Business System: customer needs, evolving **2**, 170-171; future directions **2**, 170-171; sales and service **2**, 169-170
Differential pulse code modulation (DPCM) **2**, 119
Digital Access Cross Connect System (DACS), cross-connect elements **1**, 86
Digital Audio Visual Council (DAVIC) 1.0 standard for switched digital video **1**, 101, 111
Digital broadcast satellite (DBS) **1**, 4, 6
Digital broadcast video (DBV) **1**, 70
Digital Cellular System (DCS) 1800 **2**, 7
Digital communications, broadband **1**, 3-10
Digital European Cordless Telecommunications (DECT) **1**, 25 **2**, 167-168
Digital Storage Media Command and Control Committee **1**, 73
Digital subscriber line (DSL) : connection **1**, 14; systems, **1**, 19; types **1**, 20-21
Digital subscriber line (DSL) technology **1**, 5
Digital transmission, radio frequency (RF) **1**, 5
Disaster recovery **1**, 80
Distributed call processing architecture (DCPA), in asynchronous transfer mode (ATM) networks **2**, 128
Distributed Call Processing for Wireless Mobile Networks **2**, 127-142
Distributed call processing, wireless mobile networks: call processing architecture **2**, 131-139; future directions **2**, 139-141; prototype **2**, 136-141; wireless network equipment trends **2**, 129-130
Distribution technologies, wireless **1**, 4
Doshi, Bharat T. **1**, 36-67
Downstream (from central office to home) communication: definition **1**, 12, 89, 101; design decisions for **1**, 44; interdependent decisions for **1**, 41
DPCM *see* Differential pulse code modulation
Dravida, Subrahmanyam **1**, 36-67
DS-1 private line connection **1**, 96
DS-3: facility **1**, 81; multiplexer pair **1**, 80
DSL *see* Digital subscriber line
DSM-CC *see* Digital Storage Media Command and Control Committee

E

E9-1-1 *see* Enhanced 9-1-1
EC see European Community
Electronic field imaging **2**, 216
Elemedia™ software **1**, 146
Emerging Technologies (ET) band (1920-1930 MHz) **2**, 168
Eng, Kai Y. **2**, 143-164

Enhanced 9-1-1 (E9-1-1) service, wireless: evolution plan **2**, 192-200; Federal Communications Commission (FCC) ruling **2**, 192; location technology alternatives **2**, 196-197
Entertainment, broadband services **1**, 6
Estimating the Fault Content of Software Using the Fix-on-Fix Model **1**, 130-137
Estrella, Anthony **2**, 5, 111-126
Ethernet: adapter **1**, 92; Fast **1**, 79; interface card **1**, 90; protocol **1**, 18; 10baseT cable **1**, 90
ETSI *see* European Telecommunications Standards Institute
European Community (EC) markings **2**, 19
European E-carrier digital transmission facility **2**, 9
European Telecommunications Standards Institute (ETSI) **2**, 167
European Telecommunications Standards Institute (ETSI) specifications, in Speech Transcoding Frame (STF) 2000 **2**, 19
European Telecommunications Standards Institute (ETSI) very high-speed digital subscriber line (VDSL): broadband access on copper **1**, 101
Evans, James G. **2**, 5, 203-215
Expanding World of Wireless Technology, The **2**, 3-5

F

Fairfield, Robert C. **2** 4, 7-20
Fast Ethernet **1**, 79
FAX services: Group I **1**, 3; Group II **1**, 3
FCC *see* Federal Communications Commission
FDDI *see* Fiber-distributed data interface
FDM *see* Frequency division multiplexing
FEC codes *see* Forward error correcting codes
Federal Communications Commission (FCC): Apple proposal **2**, 149; general **1**, 6 **2**, 127, 143
Fenton, Frank M. **1**, 3-10
Fiber to the curb (FTTC): architecture **1**, 5, 7, 100-114; experimental setup **1**, 111; networks **1**, 102-103
Fiber transmission with 1 Tb/s capacity **1**, 147
Fiber-distributed data interface (FDDI) **1**, 79-80
Fiber-in-the-loop **1**, 66, 76
File transfer protocol (FTP) **1**, 80
First-order faults **1**, 130
First-order fixes **1**, 130
FITL *see* Fiber-in-the-loop
Fix-on-fix (FOF): bad fix **1**, 131; bad-fix (BF) rate **1**, 131; fix-on-fix (FOF) rate **1**, 131; measurement and estimation of bad-fix (BF) rate **1**, 135; model **1**, 130-137; real software project **1**, 133-134; simulation model **1**, 131-133
Fixed wireless networks **1**, 124
Fixed-length codes **2**, 119
FLC *see* Fixed-length codes
FLX® SDV network **1**, 71
FOF *see* Fix-on-fix
Forum Personal Communications Manager **2**, 166
Forward error correcting (FEC) codes **2**, 112, 116
Foschini, Gerard J. **2**, 4, 41-59
Frequency division multiplexing (FDM) **1**, 5
Fry, George E. **2**, 4, 88-96
FTP *see* File transfer protocol
FTTC *see* Fiber to the curb

G

Gagen, Paul F. **1**, 28-35
Games, video **1**, 4
Gitlin, Richard D. **2**, 3-6, 60-87
Global System for Mobile Communication (GSM) cellular system: air interface **2**, 8-9; discontinuous transmission **2**, 7; features and services **2** 7-8; Short Message Service **2**, 8; subscriber identity module (SIM) **2**, 8; system architecture **2**, 8-12
Global wireless standards, for business customers **2**, 167
Globalstar* satellite access service **1**, 120
GlobeView® asynchronous transfer mode (ATM) switch **1**, 86
GlobeView®-2000 asynchronous transfer mode (ATM) switch **1**, 96
GlobeView®-2000 product line **1**, 72
Grzelak, Stephen A. **1**, 88-99
GSM *see* Global System for Mobile Communication

H

Half-rate channels, characteristics **2**, 11
Handovers, cellular systems **2**, 97-110
Harrison, Neil B. **1**, 138-145
HBO* premium television service **1**, 89
HFC *see* Hybrid fiber-coax
HFC-2000™ broadband access service: cost advantage **1**, 35; general **1**, 28-35; hardware **1**, 28; HFC technology **1**, 31-32; operating software delivery requirements **1**, 28
Huang, Howard C. **2**, 60-87
Huang, Steel T. **1**, 130-137
Hybrid fiber-coax (HFC): broadband service **1**, 4, 6-9, 28-35; broadband transport services, architecture for **1**, 66; cost advantages **1**, 29; data services, first generation **1**, 97; distribution **1**, 5; new paradigms **1**, 28-29; NxDSO services **1**, 29; performance **1**, 32-35; spectrum/bit-rate management **1**, 26; star-bus network **1**, 28; systems **1**, 19, 21, 36, 126; technology **1**, 29-32; two-way broadband local access networks **1**, 88-99
Hybrid Fiber-Coax Access Networks **1**, 28-35
Hybrid fiber-wireless system **1**, 124

I

I, Chih-Lin **2**, 4, 60-87
IEC *see* Interexchange carrier
IFOF *see* Incremental fix-on-fix
IMT *see* Installation and Maintenance Terminal
IN *see* Intelligent network
In-house wiring impairments: far-end crosstalk (FEXT), channel capacity **1**, 110-111; fiber to the curb (FTTC) cables, channel capacity **1**, 110; impulse noise **1**, 109-110; splitters **1**, 108-109; stubs **1**, 109
Incremental fix-on-fix (IFOF) **1**, 131
Inferno™ network operating system **1**, 146
Installation and Maintenance Terminal (IMT) manager, Windows*-based tool **2**, 16-18
Institute of Electrical and Electronics Engineers (IEEE) 802.11 interface cards **2**, 143-164
Institute of Electrical and Electronics Engineers (IEEE) 802.11 medium access control (MAC) layer: carrier sense multiple access/collision avoidance (CSMA/CD), data station access procedures **2**, 173-174; conclusions **2**, 186-187; medium access procedures **2**, 173-176; real-time station access procedures **2**, 174-176; real-time station dynamics **2**, 176-184; results and discussion **2**, 184-186
Institute of Electrical and Electronics Engineers (IEEE) 802.11 medium access control (MAC) layer, results and discussion: average delay, data packets **2**, 185-186; stability results, real-time traffic **2**, 185
Institute of Electrical and Electronics Engineers (IEEE) 802.11 standard: medium access control (MAC) layer **2**, 172-187
Integrated access business communication trends: business applications, new **1** 78; common transport technology **1**, 78-79; networking equipment trends **1**, 79-80; standards, the importance of **1**, 80
Integrated access technologies: asynchronous transfer mode (ATM) **1**, 78; general **1** 78-87; synchronous optical network (SONET) **1**, 78
Integrated access, broadband: business communication trends **1**, 78-80; general **1**, 78; technologies **1**, 78-87
Integrated services digital network (ISDN) **1**, 28, 88 **2**, 7, 17
Integrated transport technologies: asynchronous transfer mode (ATM) **1**, 79; synchronous optical network **1**, 79
Intelligent network (IN) **1**, 127-128
Interactive Broadband Services and PCS Architecture **1**, 11-27
Interactive television **1**, 88

Interactive video **1**, 4-5
Interconnection, LAN to LAN **1**, 80
Interexchange carrier (IEC) **1**, 16
International Organization for Standardization (ISO) certification **1**, 138
International Telecommunication Union (ITU): H. 263 algorithm **1**,116; Telecommunications Management Network (TMN) standards **1**, 86; V.x series for voiceband modems **1**, 101
Internet access services: America Online* service **1**, 89; CompuServe* service **1**, 89; high speed **1**, 95; wireless broadband access **1**, 115
Iridium* satellite access service **1**, 120
IS-95 Enhancements for Multimedia Services **2**, 60-87
ISDN *see* Integrated services digital network
ITU *see* International Telecommunications Union

J

Jacobson, Terry **2**, 188-202
Joint Photographic Experts Group *see* JPEG
Jordan, Albert **2**, 88-96
JPEG **2**, 111-126
JPEG bit stream: Type-I data **2**, 115-118; Type-II data **2**, 115-118
JPEG compression scheme, errors in: bit stream of JPEG compressed image **2**, 113; effect of bit errors at markers **2**, 113-115
JPEG images, error concealment from (indoor wireless): detection of corrupt image blocks **2**, 119-122; recovery of corrupt image blocks **2**, 122-123
JPEG transmission scheme, wireless: results from **2**, 116; Type-I data, average transmission time from **2**, 116-118

K

Karol, Mark J. **2**, 143-164
Kidwell, Elizabeth A. **2**, 188-202
Krishnakumar, A. S. **2**, 5, 172-187
Krishnamoorthy, Rajeev **2**, 4, 21-40

L

La Porta, Thomas F. **2**, 5, 127-142
LAN *see* Local area network
Lawrence, Victor B. **1**, 100-114
Layered Space-Time Architecture for Wireless Communication in a Fading Environment When Using Multi-Element Antennas **2**, 41-59
Layered space-time architecture: (6, 6) example of processing at receiver **2**, 49-54; asymptotic optimality of **2**, 54-55; coding **2**, 56-58; definition **2**, 41-42; mathematical background **2**, 47-48; maximizing SNR instead of nulling **2**, 56; slowing processing with parallelism **2**, 55-56; transmission **2**, 48-49
LEC *see* Local exchange carrier
Lee, David Y. **2**, 88-96
Lee, Hyeon **1**, 78-87
Liu, Zhao **2**, 143-164
LMDS *see* Local multipoint distribution service
Local access networks, two-way broadband hybrid fiber-coax (HFC) 1, 88-99
Local area network (LAN) switches **1**, 79
Local area network-to-local area network interconnection **1**, 80
Local exchange carrier (LEC) **1**, 16
Local multipoint distribution service (LMDS) **1**, 4, 6, 19, 24, 124-127
Low-Cost Radio for an Electronic Price Label, A **2**, 188-202
Lucent Technologies Patents, Recent **1**, 148-158 **2**, 218-231

M

MAC *see* Medium access control
Macrocells **1**, 116
Magill, Peter D. **1**, 36-67
Marker code **2**, 113-115
Markers **2**, 113-115
Massachusetts Institute of Technology **1**, 115
MCU *see* Minimum coding unit
MEA *see* Multi-element array
Medium access control (MAC) **1**, 37, 40, 45-64, 101
Medium access control (MAC) layer, Institute of Electrical and Electronics Engineers (IEEE) 802.11 standard **2**, 172-187
Meyer, Michael J. **2**, 5, 188-202
Microcells **1**, 116
MII *see* Mobile Information Infrastructure
Miles, Harrison, Jr., **1**, 88-99
Minimum coding unit (MCU) **2**, 114-115, 117, 119-120
MMDS *see* Multichannel multipoint distribution service
Mobile Information Infrastructure (MII) control and management: connection control **2**, 156-158; distributed address resolution **2**, 160-161; handoff algorithm **2**, 159-160; location management **2**, 158-159
Mobile Information Infrastructure (MII) project, Bell Labs: control and management **2**, 155-161; data link layer **2**, 151-155; multiaccess layer **2**, 150-151; physical layer **2**, 147-150; protocol stacks **2**, 146-147; prototyping **2**, 161; standards **2**, 161-162; system architecture **2**, 143-146
Mobile Information Infrastructure (MII) prototype, Windows*-based applications **2**, 161
Mobile Information Infrastructure **2**, 143-164
Mobile Switching Center **1**, 13
Mobile technology: business premises markets **2**, 165-171; residential market **2**, 165; sales and service, Lucent Technologies **2**, 169-170
Mobility management software **2**, 127-142
Modem (modulator/demodulator): evolution **1**, 3; speed **1**, 4
Modulator/demodulator *see* Modem
Molecular beam epitaxy using solid phosphorus **1**, 146
Motion Picture Experts Group *see* MPEG *or* MPEG-2
MPEG **1**, 12, 29, 71, 116 **2**, 111
MPEG-2 video transmission, indoor channel, using forward error correction (FEC) **2**, 154-155
MSC *see* Mobile switching center
MSO *see* Multiple service operator
Multi-element array (MEA) **2**, 42, 47
Multichannel multipoint distribution service (MMDS) **1**, 4, 6, 19, 24, 124-127
Multiple service operator (MSO) **1**, 16

N

Nanda, Sanjiv **2**, 60-87
Narendran, Balakrishnan **2**, 5, 97-110
National Institute of Standards and Technology, U.S. Government **2**, 143
National Television Standards Committee (NTSC) **1**, 67, 91
Negroponte switch **1**, 115
Network architecture, fiber to the curb (FTTC) **1**, 100-114
Network interface device (NID) **1**, 67-70
Network interface unit **1**, 2
Network traffic: burstiness **1**, 75; policing **1**, 75; shaping **1**, 75
Network Wireless Systems, part of Lucent Technologies **2**, 127
Network: unbundling **1**, 16; fiber transport-based **1**, 16; nodes **1**, 12-19
New Wireless Business Communications Directions **2**, 165-171
Next Generation Wireless Networks **2**, 88-96
NID *see* Network interface device
NIU *see* Network interface unit
Nonreserving policies, cellular system handovers: channel allocation policies **2**, 99; empirical results, most critical first (MCF) performance **2**, 103-105; guard channels **2**, 100; handover failure probability **2**, 100-101; MCF policy **2**, 100-102; realization of MCF **2**, 102-103
North American GSM band **2**, 7, 16
NTSC see National Television Standards Committee
NxDSO services **1**, 29, 32

O

Object-oriented analysis, class, responsibility, collaborator (CRC) cards **1**, 138
OC-12: private line connection **1**, 96; ring **1**, 81
OC-3: link **1**, 9; ring **1**, 81
Odyssey* satellite access service **1**, 120
On-line services: access **1**, 88-89

One-way communication **1**, 89
ONU *see* Optical network unit
Optical network unit (ONU) **1**, 5, 7, 23, 67-72
Outside plant wiring impairments: bridged taps **1**, 106-107; far-end crosstalk **1**, 103-104; mismatched impedances **1**, 105-106; near-end crosstalk **1**, 104-105; propagation loss for unshielded twisted pair (UTP) wiring **1**, 105; radio frequency interference (RFI) **1**, 107-108
Outside plant: in-house coaxial cables **1**, 100-114; unshielded twisted pair (UTP) wiring **1**, 100-114; wiring, impairments **1**, 103-108

P

Pacific Bell **1**, 28, 35
Packet traffic: Appletalk* **1**, 95; asynchronous transfer mode (ATM) **1**, 95; constant bit rate (CBR) **1**, 95; Internet packet exchange/sequenced packet exchange (IPX/SPX) **1**, 95; Internet protocol **1**, 95; synchronous traffic mode (STM) **1**, 95
PACS *see* Personal Access Communications Services
Palamara, Maria E. **2**, 188-202
Pancha, Pramod **2**, 143-164
Passive optical networking (PON): broadband access system **1**, 23-24; fiber access to home **1**, 86; future and impact **1**, 6-8; general **1**, 7; greenfield (nonlegacy) **1**, 8; infrastructure **1**, 8
Patents, Lucent Technologies, Recent **1**, 148-158 **2**, 218-231
Patterns of Productive Software Organizations **1**, 138-145
PBX *see* Private branch exchange
PCMCIA *see* Personal Computer Memory Card International Association
PCS *see* Personal communications services
PDU *see* Protocol data unit
Personal Access Communications Services **1**, 25
Personal Communications Services (PCS) 1900 **2**, 7
Personal communications services (PCS): architectures **1**, 11, 13; band **2**, 166; networks **2**, 127; network services **1**, 123; reradiation systems **1**, 22; service provider **1**, 14; two-way wireless broadband, in **1**, 115; U.S. cordless standard **1**, 14
Personal Computer Memory Card International Association (PCMCIA)-type interface cards **2**, 171
Personal Handyphone System (PHS) **1**, 25
PHS *see* Personal Handyphone System
Picocells **1**, 116
Plain old telephone service (POTS) **1**, 11, 100
Podilchuk, Christine **2**, 5, 111-126
Point of presence (POP) equipment **1**, 91, 95-99
PON *see* Passive optical network
POP *see* Point of presence
POTS *see* Plain old telephone service
Premises data market **1**, 79
Premium television services: HBO* service **1**, 89; Showtime* service **1**, 89
Private branch exchange (PBX) voice services **1**, 78
Protocol data unit (PDU) **1**, 40-64
Protocols, data link layer: hybrid automatic repeat request (ARQ) **2**, 151-152; forward error correction (FEC) **2**, 151-152
Protocols, media access control (MAC): distributed queueing request update multiple access (DQRUMA) **2**, 150-151; Ethernet media access control (MAC) **2**, 150; high-speed wireless **2**, 150; hybrid fiber-coax (HFC) **2**, 150; media access control (MAC) **2**, 150
Protocols: ADAPt+ **1**, 94-95; ADAPt medium access control (MAC) **1**, 95; Appletalk* protocol **1**, 95; common management information protocol (CMIP) **1**, 86 **2**, 158; file transfer protocol (FTP) **1**, 80; simple network management protocol (SNMP) **1**, 97 **2**, 140, 160; transmission control protocol/Internet protocol (TCP/IP) **1**, 80; transmission control protocol/Internet protocol (TCP/IP), distributed with Windows* 95* **2**, 18; transport protocols, low level **1**, 93-94; user datagram protocol/Internet protocol (UDP/IP) **2**, 137; virtual trees routing protocol (VTRP) **2**, 158
pSOS* System **2**, 16
pSOS+* queues **2**, 16
Public broadband network **1**, 6
Public networks **1**, 3-4
Pugh, William E. **1**, 28-35

Q

Quattro Pro* for Windows* **1**, 143

R

Radio frequency (RF): digital transmission **1**, 5; spectrum allocation **1**, 33
RAM* wireless data service **1**, 120
Rayleigh fading environment **2**, 41-59
Real-Time Traffic over the IEEE 802.11 Medium Access Control Layer **2**, 172-187
Recent Lucent Technologies Patents **1**, 148-158 **2**, 218-231
Reservation-based policies, cellular system handovers: adaptive reservation scheme **2**, 106-107; empirical results **2**, 107-108; guard-channel-based scheme **2**, 105; handover failure probability **2**, 100-101; handover traffic-driven channel reservation scheme **2**, 105; optimizing system handover performance **2**, 105
Residential Data Services via Hybrid Fiber-Coax Local Access Networks **1**, 88-99
Residential data services: ADAPt+ protocol **1**, 94-95; applications **1**, 88; asymmetrical bandwidth architecture **1**, 93; cable television (CATV) hybrid fiber-coax (HFC) spectrum plan **1**, 91-93; data point of presence **1**, 95-97; equipment, residence or small business **1**, 90-91; low-level transport protocols **1**, 93-94; security **1**, 96-97; system architecture **1**, 89-97
RF *see* Radio frequency
Richton, Robert E. **2**, 188-202
Riggs, Victoria G. **2** 4, 7-20
Route selection, automatic **1**, 80
Router vendors **1**, 79
Runyon, James P. **1**, 66-77

S

S system **2**, 217
S-PLUS system **2**, 217
Sabnani, Krishan K. **2**, 127-142
Sanku, Amalesh C. R. **1**, 66-77
Sawkar, Anil S. **2**, 5, 88-96, 127-142
Schwerin, Larry M. **1**, 11-27
SDV *see* Switched digital video
Second-order faults **1**, 130
Second-order fixes **1**, 130
Security, residential data services system: authentication **1**, 97; firewall **1**, 96
Segura, Juan **2** 4, 7-20
Sehgal, Chander S. **1**, 66-77
Self-crosstalk **1**, 110
Service opportunity, new **1**, 89
Service provider network **1**, 78
SET *see* Single electron transistor
Set-top terminal **1**, 18, 72-75
Shah, Nitin J. **2**, 88-96
Shober, R. Anthony **2**, 203-215
Showtime* premium television service **1**, 89
Signaling System 7 (SS7) **2**, 138
Siller, Curtis A., Jr. **1**, 36-67
Simple network management protocol (SNMP) **1**, 97 **2**, 140
Single electron transistor **2**, 216
Sipes, James D. **1**, 3-10, 11-27
SLC® 2000 access system **1**, 71
Smart Card™ system **1**, 118-120
Smithwick, Luke J. **1**, 100-114
SNMP *see* Simple network management protocol
Sobrinho, João L. **2**, 5, 172-187
Software analysis: class, responsibility, collaborator (CRC) cards **1**, 138; data analysis **1**, 140-142; future directions **1**, 143-145; organizational, role-based **1**, 138-139; process **1**, 138; synthesis of patterns **1**, 143; visual analysis **1**, 138
Software control **1**, 29
Software development: analysis of **1**, 138; characteristics of highly successful projects **1**, 142-143; collaborations **1**, 139; organizational analysis, role-based **1**, 138-139; process **1**, 138; responsibilities **1**, 139; roles **1**, 138-139; social network **1**, 138-145
Software productivity: guiding principles

for roles and communication **1**, 138-145; patterns of organization and process **1**, 138-145
Software project, visual analysis of: interaction grids **1**, 139-140; natural force-based social networks **1**, 139
Software project: characteristics of highly successful projects **1**, 142-143; patterns of interaction **1**, 138-145; visual analysis **1**, 139
Software projects, characteristics of highly successful: compensate success **1**, 143; even distribution of work **1**, 143; iteration **1**, 143; simple organization **1**, 142; work flows inward **1**, 142-143
SONET see Synchronous optical network
Southern New England Telephone **1**, 28, 35
Speech Transcoding Frame (STF) 2000: architecture **2**, 12-14; capacity **2**, 14; data rate adaptation **2**, 16; dual-rate transcoders **2**, 15; enhanced full-rate speech coding **2**, 16; fault-recovery software **2**, 7; full-rate speech coding **2**, 14; full-rate transcoders **2**, 15; growth/evolution path **2**, 19; half-rate speech coding **2**, 7,15-16; half-rate transcoders **2**, 15; operations and maintenance signaling **2**, 17; redundancy **2**, 7; reliability **2**, 18-19; software architecture **2**, 16-17; speech encoding and decoding (transcoding) **2**, 7-20; standards compliance **2**, 19
Speech Transcoding Frame 2000 for GSM Cellular Systems, The **2**, 7-20
Sriram, Kotikalapudi **1**, 36-76
SS7 *see* Signaling System 7
Standards: American National Standards Institute (ANSI) integrated services digital network (ISDN) **1**, 101; ANSI T1.413 asymmetric digital subscriber line (ADSL) **1**, 101; Digital Audio Visual Council (DAVIC) 1.0 standard for switched digital video **1**, 101, 111; Digital Communication System (DCS) 1800 **2**, 171; European Telecommunications Standards Institute (ETSI) very high-speed digital subscriber line (VDSL) **1**, 101; Global System for Mobile Communications (GSM) **2**, 127; Institute of Electrical and Electronics Engineers (IEEE) 802.11 standard **2**, 172-187; IS-136 **2**, 127; IS-95 **2**, 127, 130, 136; IS-95 code division multiple access (CDMA) air interface **2**, 136; National Television Standards Committee (NTSC) **1**, 91; Personal HandyPhone System (PHS) common air interface standard (Japan) for business applications **2**, 168; V.x series for voiceband modems **1**, 101
Stevens, Nancy S. **1**, 11-27
Stima, Michael J. **2**, 5, 165-171
STT *see* Set-top terminal
Switched digital video (SDV) network: elements for major service categories, interworking of **1**, 69-70; general **1**, 4-6, 9, 22; overview **1**, 66-68; performance parameters **1**, 75-76
Switched Digital Video Access Networks **1**, 66-77
Switches, local area network (LAN) **1**, 79
Symmetric digital subscriber line (SDSL) **1**, 5
Synchronous optical network (SONET): ATM/SONET hybrid ring **1**, 85; general **1**, 6, 8-9; integrated transport technology **1**, 79-80; links **1**, 9; ring technology **1**, 80-83; transport service options **1**, 66-67, 69; unidirectional path switching ring (UPSR) protection schemes **1**, 82-83
Szurkowski, Edward S. **1**, 88-99

T

T1 trunk **1**, 78, 100
TDMA *see* Time division multiple access
Telecommunications Act of 1934 **1**, 6
Telecommunications Industry Association (TIA) **2**, 168
Telecommunications Management Network (TMN) standards, International Telecommunication Union (ITU) **1**, 86
Telecommunications services: China **1**, 6; cost, lowering **1**, 78; Eastern Europe **1**, 6; European Union **1**, 6; general **1**, 3; India **1**, 6
Telecommuting **1**, 4, 6, 88
Telex **1**, 3
ten Brink, Stephan **2**, 60-87
Thorkildsen, Reed **1**, 115-129
TIA *see* Telecommunications Industry Association
Time division multiple access (TDMA) **1**, 13
TMN *see* Telecommunications Management Network
Transmission of JPEG-Coded Images over Wireless Channels **2**, 111-126
Transport architectures, current trends for business customers **1**, 78-87
Transtalk™ 9000 wireless business system **2**, 166
Trellis™ system **2**, 217
Two-way broadband networks: access networks **1**, 6, 8; hybrid fiber-coax (HFC) local access **1**, 88-99
Two-way communication **1**, 89
Two-Way Wireless Broadband Access **1**, 115-129
Two-way wireless broadband access: enabling technologies **1**, 117; influential factors **1**, 115

U

UDP/IP *see* User datagram protocol/Internet protocol
ULSI *see* Ultra large scale integration
Ultra large scale integration (ULSI) **1**, 117
Unlicensed Transition and Management (UTAM) **2**, 166-167
Unshielded twisted pair (UTP): crosstalk between pairs in **1**, 100; wiring **1**, 100-114
Upstream (from home to central office) communication: definition **1**, 12, 101; design decisions for **1**, 48; embedded base of installations **1**, 89; interdependent decisions for **1**, 41
User datagram protocol/Internet protocol (UDP/IP) **2**, 137-138
UTP *see* Unshielded twisted pair

V

Vannucci, Giovanni **2**, 188-202
Variable-length codes **2**, 119
VDE *see* Association of German Electrical Engineers
Veeraraghavan, Malathi **2**, 143-164
Vendors, router **1**, 79
Very large scale Integration (VLSI) **1**, 117
Video on demand: digital **1**, 31; general **1**, 4, 88, 66, 75
Video teleconferencing **1**, 78-79
Video telephony services **1**, 29, 88
Video: games **1**, 4; interactive **1**, 4
Virtual enterprise networks **1**, 6
VLC *see* Variable-length codes
VLSI *see* Very large scale integration
VOD see Video on demand
Voice services, private branch exchange (PBX) **1**, 78

W

W-DCPA *see* Wireless distributed call processing architecture
Wavelength division multiplexing (WDM) **1**, 7-8
WDM *see* Wavelength division multiplexing
Webb, Charles A., III **2**, 60-87
Weber, William P., Jr., **1**, 88-99
Weerackody, Vijitha **2**, 5, 111-126
Werner, Jean-Jacques **1**, 100-114
Wiberg, William C. **2**, 88-96
Wilkus, Stephen A. **2**, 203-215
WINFORUM, spectral etiquette guidelines **2**, 166
Wireless Asynchronous Transfer Mode (ATM) Working Group **2**, 143-164
Wireless asynchronous transfer mode (ATM): general **2**, 143; prototype **2**, 143, 162
Wireless broadband services **1**, 4, 7
Wireless distributed call processing architecture (W-DCPA), in cellular/PCS networks: benefits **2**, 135-136; general **2**, 132-135; prototype **2**, 136; Sun* workstation (SPARC* 20) server **2**, 137
Wireless distributed call processing architecture (W-DCPA), prototype system: prototype configuration **2**, 136-137; protocol configurations **2**, 137-139
Wireless Distributed Call Processing Architecture project, Lucent

Technologies **2**, 128
Wireless distribution technologies **1**, 4, 7
Wireless Enhanced 9-1-1 Service—Making It a Reality **2**, 188-202
Wireless LAN **1**, 124
Wireless local area networks (LANs) **2**, 166, 172
Wireless mobile networks **2**, 127-142
Wireless network equipment trends: market trends, cost and functionality **2**, 129-130; technology trends **2**, 130-131
Wireless network infrastructure: cost considerations **2**, 90-91; customer demand **2**, 90; deregulation and competitive climate **2**, 89-90; Lucent Technologies corporate needs **2**, 92; technological advances, pace **2**, 91-93
Wireless networks, next generation, proposed: access network **2**, 94-96; core network **2**, 94; intelligent network services **2**, 93-94; network topology **2**, 92-93
Wireless private branch exchange (PBX) sales and service, Lucent Technologies **2**, 169-170
Wireless simulation tool **2**, 216-217
Wireless standards, global, for business customers **2**, 167
Wireless technology, radio spectrum and technology requirements: Cordless Telephone 2 (CT2) **2**, 167-168; Digital European Cordless Telecommunications (DECT) **2**, 167-168; European Telecommunications Standards Institute (ETSI) **2**, 167; Federal Communications Commission (FCC) Part 15 **2**, 166; Personal Communications Services (PCS) band **2**, 166; Unlicensed Transition and Management (UTAM) **2**, 166-167; WINFORUM, spectral etiquette guidelines **2**, 166
Wireless/wireline access integration **1**, 84-86
Wiring impairments, in-house: far-end crosstalk (FEXT), channel capacity **1**, 110-111; fiber to the curb (FTTC) cables, channel capacity **1**, 110; impulse noise **1**, 109-110; splitters **1**, 108-109; stubs **1**, 109
Wiring impairments, outside plant: bridged taps **1**, 106-107; far-end crosstalk **1**, 103-104; in-house coaxial cables **1**, 100-114; in-house wiring impairments **1**, 108-111; mismatched impedances **1**, 105-106; near-end crosstalk **1**, 104-105; propagation loss for unshielded twisted pair (UTP) wiring **1**, 100-114; radio frequency interference (RFI) **1**, 107-108
Woodworth, Clark B. **2**, 143-164
Work at home **1**, 88
World Wide Web (WWW): audio player programs **2**, 161; browsers **2**, 161; general **1**, 4, 89; video player programs **2**, 161
Wright, Gregory A. **2**, 203-215

Z

Zervos, Nicholas A. **1**, 100-114
Zoccolillo, Richard **1**, 78-87
Zysman, George I. **1**, 115-129 **2**, 3-6